

Math 20E Homework Assignment 3 (updated 5/1/24)**Due 11:00pm Tuesday, May 7, 2023**

1. Evaluate $\int_{\mathbf{c}} \mathbf{F} \cdot d\mathbf{s}$, where $\mathbf{F}(x, y) = (-xy, x^2)$ and \mathbf{c} is the path along the unit circle $x^2 + y^2 = 1$ beginning at $(1, 0)$ and ending at $(0, 1)$.
2. Evaluate the line integral $\int_{\mathbf{c}} yz \, dx + xz \, dy + xy \, dz$, where \mathbf{c} consists of the straight-line segments joining $(1, 0, 0)$ to $(0, 1, 0)$ to $(0, 0, 1)$.
3. Evaluate the line integral $\int_C (y^2 + 2xz) \, dx + (2xy + z^2) \, dy + (2yz + x^2) \, dz$, where C is an oriented simple curve from $(1, 1, 1)$ to $(0, 2, 3)$.
4. Let $\mathbf{c}(t)$ be a path and $\mathbf{T}(t) = \frac{\mathbf{c}'(t)}{\|\mathbf{c}'(t)\|}$ the unit tangent vector. What is $\int_{\mathbf{c}} \mathbf{T} \cdot d\mathbf{s}$?
5. Let S be the surface determined by the equation $x^3 + 3xy + z^2 = 2$ with $z \geq 0$.
 - (a) Find a parametrization $\Phi : D \subseteq \mathbb{R}^2 \rightarrow S \subseteq \mathbb{R}^3$.
 - (b) Find an equation for the tangent plane to S at the point $(1, 1/3, 0)$.
6. The hyperboloid S with equation $x^2 + y^2 - z^2 = 25$ is parametrized by the mapping

$$\begin{aligned}\Phi &: [0, 2\pi] \times (-\infty, \infty) \longrightarrow \mathbb{R}^3 \\ \Phi(\theta, u) &= 5(\cos(\theta) \cosh(u), \sin(\theta) \cosh(u), \sinh(u))\end{aligned}$$

[See Example 5 in Section 7.3 (pg. 381) of your textbook.]

- (a) Find an equation for the plane tangent to the surface S at $(x_0, y_0, 0)$, where $x_0^2 + y_0^2 = 25$.
 - (b) Show that the lines $\lambda_1(t) = (x_0, y_0, 0) + t(-y_0, x_0, 5)$ and $\lambda_2(t) = (x_0, y_0, 0) + t(y_0, -x_0, 5)$ lie in the surface S and in the tangent plane to S at $(x_0, y_0, 0)$.
7. Let r and R be positive constants with $0 < r < R$. The mapping
$$\begin{aligned}\Phi &: [0, 2\pi] \times [0, 2\pi] \longrightarrow \mathbb{R}^3 \\ \Phi(u, v) &= ((R + r \cos(u)) \cos(v), (R + r \cos(u)) \sin(v), r \sin(u))\end{aligned}$$
parametrizes a torus (or doughnut) T .
 - (a) Show that all points (x, y, z) in the image T satisfy $(\sqrt{x^2 + y^2} - R)^2 + z^2 = r^2$.
 - (b) Show that the image surface T is regular at all points.
 8. Find area of the portion of the unit sphere that is inside the mouth of the cone $z \geq \sqrt{x^2 + y^2}$.
 9. The cylinder $x^2 + y^2 = x$ divides the unit sphere S into two regions S_1 and S_2 , where S_1 is outside the cylinder and S_2 is inside the cylinder.
Find the ratio $A(S_1)/A(S_2)$ of the areas of S_1 and S_2 .
 10. Find the area of the surface S defined by $x + y + z = 1$ with $x^2 + 3y^2 \leq 1$.